

NO.63099

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office May 12, 1997

Returned to applicant for correction _____

Corrected application filed _____

Map filed April 18, 1990 under 54673

The applicant **Michael and Pamela Donovan**, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Las Vegas Artesian Basin (underground)**
2. The amount of water applied for is **.0092** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Domestic and Quasi-Municipal 4 homes**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **SE¼ NW¼ Section 5 T20S, R60E MDB&M or at a point from which the C¼ of said Section 5 bears South 74° 46' 20" East a distance of 660.35 feet.**
6. Place of Use **SW¼SE¼SE¼NW¼ Section 5 T20S, R60E MDB&M**
7. Use will begin about **January 1** and end about **December 31**, of each year.
8. Description of proposed works **500 feet of well casing 8 inches in Diameter equipped with a 5hp submersible pump and 250 gal. pressure tank.**
9. Estimated cost of works **\$15,000.00**
10. Estimated time required to construct works **1 year**
11. Estimated time required to complete the application of water to beneficial use **3 years**
12. Remarks: **4 homes domestic and landscaping purposes. 3 homes are already built. REFER TO CANCELLED PERMIT #54673.**

By **s/Martha Anne McConnell**
Martha Anne McConnell, Agent
8890 West Craig Road
Las Vegas, NV 89129-3632

Compared jr/cl lw/cms

Protested _____

63099

APPROVAL **OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Revocable Permit 63099 is issued to provide water service to three lots described by Assessor's Parcel Numbers 138-05-203-019, 138-05-203-020, and 138-05-203-021.

This permit is issued subject to the State Engineer's Amended Order 1054 dated April 15, 1992.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.009 cubic foot per second, **but not to exceed 1.095 million gallons annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

October 22, 1998

Proof of completion of work shall be filed before:

November 22, 1998

Application of water to beneficial use shall be filed on or before:

October 22, 1999

Proof of the application of water to beneficial use shall be filed on or before:

November 22, 1999


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 17th day of April, A.D. 1998


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office May 12, 1997

Returned to applicant for correction _____

Corrected application filed _____

Map Filed April 18, 1990 under 54673

The applicant **Michael and Pamela Donovan**, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Las Vegas Artesian Basin (underground)**
2. The amount of water applied for is **.0092** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Domestic and Quasi-Municipal 4 homes**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **SE¼ NW¼ Section 5 T20S, R60E MDB&M** or at a point from which the C¼ of said Section 5 bears South 74° 46' 20" East a distance of 660.35 feet.
6. Place of Use **SW¼SE¼SE¼NW¼ Section 5 T20S, R60E MDB&M**
7. Use will begin about **January 1** and end about **December 31**, of each year.
8. Description of proposed works **500 feet of well casing 8 inches in Diameter equipped with a 5hp submersible pump and 250 gal. pressure tank.**
9. Estimated cost of works **\$15,000.00**
10. Estimated time required to construct works **1 year**
11. Estimated time required to complete the application of water to beneficial use **3 years**
12. Remarks: **4 homes domestic and landscaping purposes. 3 homes are already built. REFER TO CANCELLED PERMIT #54673.**

By **s/Martha Anne McConnell**
Martha Anne McConnell, Agent
8890 West Craig Road
Las Vegas, NV 89129-3632

Compared jr/cl cl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Revocable Permit 63099 is issued to provide water service to two lots described by Assessor's Parcel Numbers 138-05-203-020 and 138-05-203-021.

This permit is issued subject to the State Engineer's Amended Order 1054 dated April 15, 1992.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.009 cubic feet per second, but not to exceed 0.73 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

October 22, 1998

Proof of completion of work shall be filed before:

November 22, 1998

Application of water to beneficial use shall be filed on or before:

October 22, 1999

Proof of the application of water to beneficial use shall be filed on or before:

November 22, 1999

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 22nd day of October, A.D. 1997


State Engineer

Completion of work filed APR 16 1998

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____